


**American AVK Dry Barrel Hydrant Class Code/ Ref. # / Breakdown**




**SERIES 27, AWWA C502**

**DRY BARREL HYDRANTS**

**AWWA C502, DRY BARREL HYDRANTS**


Type	AVK Ref. #	Size	Weight		Price US \$
			kg	lb	
<b>Series 27N/PHH (2780) Nostalgic style Ductile iron</b>  To AWWA C502 UL listed FM approved Dry barrel hydrant 2 Hose Nozzles 1 Pumper Nozzle Standard bases available: 4" FL* or 4" MJ* 6" FL 6" MJ 6" PO  Optional bases available: 4" PE* 6" PE* 6" Straight* 8" MJ* 250 PSI * Not UL/FM					
	27N/PHH-01	1.5'	127	280	4,087
	27N/PHH-02	2.0'	136	300	4,087
	27N/PHH-03	2.5'	145	320	4,087
	27N/PHH-04	3.0'	154	340	4,189
	27N/PHH-05	3.5'	163	360	4,291
	27N/PHH-06	4.0'	172	380	4,393
	27N/PHH-07	4.5'	181	400	4,495
	27N/PHH-08	5.0'	190	420	4,597
	27N/PHH-09	5.5'	200	440	4,699
	27N/PHH-10	6.0'	209	460	4,801
	27N/PHH-11	6.5'	218	480	4,903
	27N/PHH-12	7.0'	227	500	5,005
	27N/PHH-13	7.5'	236	520	5,107
	27N/PHH-14	8.0'	245	540	5,209
	27N/PHH-15	8.5'	254	560	5,311
	27N/PHH-16	9.0'	263	580	5,413
	27N/PHH-17	9.5'	272	600	5,515
	27N/PHH-18	10.0'	281	620	5,617
	27N/PHH-19	10.5'	290	640	5,719
	27N/PHH-20	11.0'	300	660	5,821
	27N/PHH-21	11.5'	309	680	5,923
27N/PHH-22	12.0'	318	700	6,025	



Note: Trade prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Type**

**Series 27N/NHH  
(2794) Nostalgic style  
Ductile iron**



To AWWA C502  
FM approved  
Dry barrel hydrant  
2 Hose Nozzles ONLY  
No Pumper Nozzle  
Standard bases available:  
4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:  
4" PE\*  
6" PE\*  
6" Straight\*  
8" MJ\*  
250 PSI  
\* Not UL/FM

**AVK Ref. #**

**Size**


**Weight  
kg lb**

**Price  
US \$**

AVK Ref. #	Size	Weight kg	Weight lb	Price US \$
27N/NHH-01	1.5'	127	280	3,693
27N/NHH-02	2.0'	136	300	3,693
27N/NHH-03	2.5'	145	320	3,693
27N/NHH-04	3.0'	154	340	3,795
27N/NHH-05	3.5'	163	360	3,897
27N/NHH-06	4.0'	172	380	3,999
27N/NHH-07	4.5'	181	400	4,101
27N/NHH-08	5.0'	190	420	4,203
27N/NHH-09	5.5'	200	440	4,305
27N/NHH-10	6.0'	209	460	4,407
27N/NHH-11	6.5'	218	480	4,509
27N/NHH-12	7.0'	227	500	4,611
27N/NHH-13	7.5'	236	520	4,713
27N/NHH-14	8.0'	245	540	4,815
27N/NHH-15	8.5'	254	560	4,917
27N/NHH-16	9.0'	263	580	5,019
27N/NHH-17	9.5'	272	600	5,121
27N/NHH-18	10.0'	281	620	5,223
27N/NHH-19	10.5'	290	640	5,325
27N/NHH-20	11.0'	300	660	5,427
27N/NHH-21	11.5'	309	680	5,529
27N/NHH-22	12.0'	318	700	5,631

Note: Trade prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Series 27N/PNN  
(2760) Nostalgic style  
Ductile iron**



To AWWA C502  
Dry barrel hydrant  
1 Pumper Nozzle ONLY  
No Hose Nozzles  
Standard bases available:  
4" FL or 4" MJ  
6" FL  
6" MJ  
6" PO  
6" PE


Optional bases available:  
4" PE  
6" PE  
8" MJ  
250 PSI  
UL/FM do not recognize Single  
Pumper configurations

AVK Ref. #	Size	Weight kg	Weight lb	Price US \$
27N/PNN-01	1.5'	127	280	3,787
27N/PNN-02	2.0'	136	300	3,787
27N/PNN-03	2.5'	145	320	3,787
27N/PNN-04	3.0'	154	340	3,889
27N/PNN-05	3.5'	163	360	3,991
27N/PNN-06	4.0'	172	380	4,093
27N/PNN-07	4.5'	181	400	4,195
27N/PNN-08	5.0'	190	420	4,297
27N/PNN-09	5.5'	200	440	4,399
27N/PNN-10	6.0'	209	460	4,501
27N/PNN-11	6.5'	218	480	4,603
27N/PNN-12	7.0'	227	500	4,705
27N/PNN-13	7.5'	236	520	4,807
27N/PNN-14	8.0'	245	540	4,909
27N/PNN-15	8.5'	254	560	5,011
27N/PNN-16	9.0'	263	580	5,113
27N/PNN-17	9.5'	272	600	5,215
27N/PNN-18	10.0'	281	620	5,317
27N/PNN-19	10.5'	290	640	5,419
27N/PNN-20	11.0'	300	660	5,521
27N/PNN-21	11.5'	309	680	5,623
27N/PNN-22	12.0'	318	700	5,725

Note: Trade prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Type**

**Series 27N/PPN  
(2756) Nostalgic style  
Ductile iron**



To AWWA C502  
UL listed  
Dry barrel hydrant  
2 Pumper Nozzle ONLY\*\*  
No Hose Nozzles  
Standard bases available:  
4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:  
4" PE\*  
6" PE\*  
6" Straight\*  
8" MJ\*  
250 PSI  
\* Not UL/FM\*  
\*\*FM does not approve hydrants  
without hose nozzles

**AVK Ref. #**

**Size**


**Weight  
kg lb**

**Price  
US \$**

27N/PPN-01	1.5'	127	280	3,915
27N/PPN-02	2.0'	136	300	3,915
27N/PPN-03	2.5'	145	320	3,915
27N/PPN-04	3.0'	154	340	4,015
27N/PPN-05	3.5'	163	360	4,117
27N/PPN-06	4.0'	172	380	4,219
27N/PPN-07	4.5'	181	400	4,321
27N/PPN-08	5.0'	190	420	4,423
27N/PPN-09	5.5'	200	440	4,525
27N/PPN-10	6.0'	209	460	4,627
27N/PPN-11	6.5'	218	480	4,729
27N/PPN-12	7.0'	227	500	4,831
27N/PPN-13	7.5'	236	520	4,933
27N/PPN-14	8.0'	245	540	5,035
27N/PPN-15	8.5'	254	560	5,137
27N/PPN-16	9.0'	263	580	5,239
27N/PPN-17	9.5'	272	600	5,341
27N/PPN-18	10.0'	281	620	5,443
27N/PPN-19	10.5'	290	640	5,545
27N/PPN-20	11.0'	300	660	5,647
27N/PPN-21	11.5'	309	680	5,749
27N/PPN-22	12.0'	318	700	5,851

Note: Trade prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Series 27M/PHH  
(2700) Modern style  
Ductile iron**



To AWWA C502  
UL listed  
FM approved  
Dry barrel hydrant  
2 Hose Nozzles  
1 Pumper Nozzle  
Standard bases available:  
4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:  
4" PE\*  
6" PE\*  
6" Straight\*  
8" MJ\*  
250 PSI  
\* Not UL/FM

27M/PHH-01	1.5'	127	280	4,087
27M/PHH-02	2.0'	136	300	4,087
27M/PHH-03	2.5'	145	320	4,087
27M/PHH-04	3.0'	154	340	4,189
27M/PHH-05	3.5'	163	360	4,291
27M/PHH-06	4.0'	172	380	4,393
27M/PHH-07	4.5'	181	400	4,495
27M/PHH-08	5.0'	190	420	4,597
27M/PHH-09	5.5'	200	440	4,699
27M/PHH-10	6.0'	209	460	4,801
27M/PHH-11	6.5'	218	480	4,903
27M/PHH-12	7.0'	227	500	5,005
27M/PHH-13	7.5'	236	520	5,107
27M/PHH-14	8.0'	245	540	5,209
27M/PHH-15	8.5'	254	560	5,311
27M/PHH-16	9.0'	263	580	5,413
27M/PHH-17	9.5'	272	600	5,515
27M/PHH-18	10.0'	281	620	5,617
27M/PHH-19	10.5'	290	640	5,719
27M/PHH-20	11.0'	300	660	5,821
27M/PHH-21	11.5'	309	680	5,923
27M/PHH-22	12.0'	318	700	6,025

Note: Trade prices without accessories. For each 6" increase to bury depth over 12' add \$102

Add \$51 for 16" Upper Barrel  
Add \$102 for 22" Upper Barrel